


ShinMaywa Submersible Sewage Pump **CNWX(Explosion Proof)**

PERFORMANCE CURVE (Discharge Size 3", Solid Size 2.5" & 3", 208V)


Discharge	Solid Size	Model		HP	208V	
		Motor	Impeller		Curve No.	Drawing No.
3"	2.5" (65mm)	3CNWX41.5T*E	15-2	2	①	Y35267
		3CNWX42.2T*E	22-2	3	②	Y35268
	3" (80mm)	3CNWX41.5T*E	15-4	2	③	Y35269
		3CNWX42.2T*E	22-4	3	④	Y35270
		3CNWX43.7T*E	37-4	5	⑤	Y35271



ShinMaywa Submersible Sewage Pump CNWX(Explosion Proof)

PERFORMANCE CURVE (Discharge Size 4", Solid Size 3", 208V)

Discharge	Solid Size	Model		HP	208V	
		Motor	Impeller		Curve No.	Drawing No.
4"	3" (80mm)	4CNWX41.5T*E	15-4	2	⑥	Y35272
		4CNWX42.2T*E	22-4	3	⑦	Y35273
		4CNWX43.7T*E	37-4	5	⑧	Y35274
		4CNWX45.5T*E	55-2	7.5	⑨	Y35275
		4CNWX47.5T*E	75-2	10	⑩	Y35276



ShinMaywa Submersible Sewage Pump CNWX(Explosion Proof)

PERFORMANCE CURVE (Discharge Size 4" & 6", Solid Size 4", 208V)

Discharge	Solid Size	Model		HP	208V	
		Motor	Impeller		Curve No.	Drawing No.
4"	4" (100 mm)	4CNWX43.7T*E	37-6	5	⑪	Y35277
		4CNWX45.5T*E	55-4	7.5	⑫	Y35278
		4CNWX47.5T*E	75-4	10	⑬	Y35279
6"	4" (100mm)	6CNWX47.5T*E	75-4	10	⑭	Y35280

